QUICK ICD-10 Dx CODE REFERENCE LIST COMMONLY USED FOR RICHIE BRACE PRESCRIPTIONS

LATERAL ANKLE INSTABILITY

Instability of Joint; Ankle and Foot
M24.871 (RT), M24.872 (LT)

Calc-fib Ligament Sprain
S93.411 (RT), S93.412 (LT)
Need to also denote 7th character encounter type (A, D, S)

Anterior Talo-fib Ligament Sprain
S93.491 (RT), S93.492 (LT)
Need to also denote 7th character encounter type (A, D, S)

CHARCOT FOOT

Charcot Arthropathy
M14.671 (RT), M14.672 (LT)

Diabetic Charcot Joint
E11.610

DEGENERATIVE JOINT DISEASE OF ANKLE & REARFOOT

Osteoarthrosis, Localized, Primary; Ankle and Foot
M19.071 (RT), M19.072 (LT)

Pain, Joint; Ankle and Foot
M25.571 (RT), M25.572 (LT)

Tarsal Coalition
Q66.89

ADULT ACQUIRED FLATOFOOT (PTTD)

Adult Acquired Flatfoot
M21.41 (RT), M21.42 (LT)

Rupture, Tendon; Ankle and Foot
M66.371 (RT), M66.372 (LT)

Pronation, Acquired
R26.9

TENDINOPATHY OF ANKLE

Tendinitis, Tibial
M76.821 (RT), M76.822 (LT),

Tendinitis, Peroneal
M76.71 (RT), M76.72 (LT)

DROPFOOT

Dropfoot
M21.371 (RT), M21.372 (LT)

Hemiplegia
I69.351 (RT), I69.352 (LT),

DIAGNOSIS CODES APPLICABLE TO RICHIE BRACE® BILLING

NOTE: This list is not inclusive of all possible codes. It is not a guarantee of reimbursement for payment. The codes selected for diagnosis and billing purposes are the discretion of the prescribing practitioner.